2.3 Habitats and wildlife

Coast

The MCT provides unrivalled opportunities for watching wildlife – offshore, inshore and along the coastline itself.

The East Coast population of bottlenose dolphins is important Europe-wide, with about 130 resident animals. At first focused on the Moray Firth, they have spread into small groups ranging widely along the east coast of mainland Scotland. These playful mammals are most likely to be seen during summer and on a rising tide, although patience and luck may be needed.

Atlantic grey seal can often be seen basking on rocks inshore. It is distinguished from the round-headed common seal (another local inhabitant) by its pointed head. The male grey's fur is dark brownish-grey and they look large and lumpish while resting. The common seal's coat is more mottled and it often arches its sleek body when ashore. Its nostrils make a pronounced V-shape.

Whales visit the coast, the most likely sighting being minke whale between March and October. It has a sharply pointed snout, streamlined profile and is dark brown or black above and lighter below. You may be lucky enough to see a minke leaping from the water, or perhaps to see an orca, pilot whale or harbour porpoise.

Bottlenose dolphins (Tursiops truncatus)





Common seal pups, Lossiemouth east beach

Of the birds seen offshore, the gannet is particularly striking. It glides low over the water hunting, then climbs as high as 30 m, folds its wings and divebombs its prey, reaching speeds of more than 50 mph (80 kph). The cormorant is an avid fish hunter, easy to spot when perched on rocks with its wings outstretched. Up close, the black-looking plumage is subtly shaded, with blue-black chest and bronze wings.

Among the cliff-dwelling birds, the fulmar (featured in the MCT logo) is distinguished from gulls by its stiff-winged, gliding flight. Clusters of guillemots may be seen in spring and early summer. They have dark heads and backs and slender, pointed beaks.

Along the beaches, the oystercatcher is easy to identify by its long orange bill, black head, white chest and loud piercing Recognise the common tern by its orangered bill and short, forked tail. Terns are easily disturbed while nesting: please keep your distance.

Close inshore you may see floating flocks of eider. A large seaduck, it feeds on shellfish. The male has a black cap, white chest and back, whereas the female is mottled brown. In winter, striking longtailed duck are seen in large numbers around Kingston and Burghead.



Fulmar, a miniature cousin of the albatross

The grey heron is often seen in estuaries, standing tall and still in the shallows, waiting to make a sudden strike, or elegantly stalking its prey. In flight it trails its legs and beats its large wings very slowly.



Thrift (sea pink)

Several plants are specially adapted to the harsh, salty conditions along the shores. Marram grass is common on sand dunes where its tough, sharpedged leaves help to bind the sand, slowing down coastal erosion. Thrift or

sea pink, with pink, purplish and occasionally white flowers, grows in clumps on sand and in rock crevices. Dense bushes of prickly gorse are common beside cliff paths, with masses of yellow flowers giving out an almond-like scent.

Grassland and farmland

Along coastal fringes and over fields, the broad-winged lapwing loops and whirls about, piping its sad call. It's recognised by its black-and-white head and neck and short spiky crest.

Gorse in bloom



Oystercatcher



Above the fields and further inland on the moors, you may hear the sweet song of the skylark as it hovers and soars so high that it's almost out of sight.

You will see various crows, perhaps including jackdaw, a small blackbacked crow with a grey neck. It nests in cliffs along the coast, and in flight it's acrobatic and graceful by turns.

Among wildflowers, red campions appear along field edges with their clusters of deep pink flowers. Grassland is home to the common spotted orchid.

Woodland

The most common species in the plantations along the Moray coast is Common spotted orchid

Scots pine; it is also seen in small groups or singly on Dava Moor. Here, far from the onslaught of salt-laden winds, it is a more substantial and robust tree. Its bark is deeply cracked and its branches a distinctive orange-brown.

Along the Dava Way you'll also find silver birch with its white-grey bark, smooth in young trees, darker and rougher in older specimens. Rowan, with its bright red berries stands out during late summer. Soon after, the larch begins to change colour, its fine needles turning from summer bright green through shades of yellow and orange to glowing bronze in autumn.

Three species of wildflower are widespread. Wild primrose grows in clumps of yellow flowers with crinkly bright green leaves. Wood anemone grows abundantly during Scots pine (Pinus sylvestris)

spring, its delicate white flowers on slender stems easily shaken by the wind. Hence its name, after Anemos, the Greek wind god. The common dogviolet appears during spring, pale violet with heart-shaped leaves.

The cuckoo, an early spring visitor to woodland fringes, has an unmistakeable call, but it's difficult to spot, being an undistinguished greybacked bird, usually low-flying.

Moorland

From July to early
September, the moors are
carpeted with two kinds of
hardy heather, growing in bushy
clumps. Bell heather has larger, deeper
reddish-purple flowers while the flowers of ling
are usually more pink than mauve. In poorly drained
areas, snowy drifts of common cotton grass flourish in late
spring with distinctive white fluffy balls.

Bird life is sparser than around the coast, but sightings may include curlew, the largest European wader. It has a very long, down-curved beak and makes a rising, whistling call. The moors are important breeding grounds also for golden plover, with its plaintive whistle and (in summer) gold and black plumage. In winter it moves to lower ground and often flocks together with lapwing. The red grouse is a plump game bird. Its body is reddish brown with pale legs, and the male has a distinctive red patch above his eye. When disturbed, it takes off abruptly in a flurry of wingbeats and a harsh, guttural call.

Red grouse (male) in heather